



downlighting

FOR INTERNATIONAL MARKETS



GOTHAM DOWNLIGHTING

FOR INTERNATIONAL MARKETS

HISTORIC EDGE.

Since the beginning of its entree into the lighting industry, Gotham® has focused on architectural integration, optical performance, reliability and innovative manufacturing processes. Each of these components has led to Gotham Lighting becoming one of the most respected names in architectural downlighting.

Gotham has a long and proud history of developing innovative products to address the North American marketplace, and now that capability has been extended internationally.



COMPATIBLE MOUNTING PLATFORM.

Gotham has developed an entirely new mounting platform to allow for quick and easy installation from below the ceiling, utilizing many of Gotham's patented Bounding Ray™ optics. While this capability is standard in many international markets, it's a new addition that extends Gotham's flexibility and will make it much easier to integrate performance downlighting optics into projects for the international marketplace.

Product families include the extensive AF and AFV series of products, the LGF and LGFV series, and Gotham's industry changing Candéo® and ICE™ products for a more decorative flair. Gotham – the name you know, the performance you need and the quality you rely on, now available in a mounting platform that works for all your recessed lighting needs.

INNOVATIVE, INTEGRATED LIGHTING.

All of the products in Gotham's portfolio of downlights are backed by its reputation as a performance leader in the lighting industry. With patented Bounding Ray™ optics at the core of each of its products, Gotham produces exceptional optical performance and aesthetics, while maintaining a visually quiet and glare-free ceiling. In any application, Gotham products offer efficient downlighting and the most advanced optical and thermally engineered luminaires in the industry.

The architect, engineer and lighting specifier specifying Gotham downlights internationally are now able to satisfy a wider range of lighting requirements with consistently superior quality, as Gotham offers complete families of products to fulfill more diverse application and stylistic demands. Ask your lighting representative for more information on Gotham downlights for international markets, and how they complement the full line of Gotham downlighting.

For more information on these and other Gotham products, visit our website at <http://www.abl-internationalsales.com/>

INTERNATIONAL CFL FAMILIES	LAMP ORIENTATION	APERTURE		TRIM TYPE	LENS TYPE/COLOR	OPTIONS
AFI DTT (Double Twin Tube)	Horizontal	6"	8"	Open/Cross Baffle	N/A	0-10V Dimming 3%
AFI TRT (Triple Tube)	Horizontal	6"	8"	Open/Cross Baffle	N/A	0-10V Dimming 3%
AFVI TRT (Triple Tube)	Vertical	6"	8"	Open	N/A	0-10V Dimming 3%
LGFI TRT (Triple Tube)	Horizontal	6"	8"	Regressed white, Stepped black baffle	Prismatic acrylic, Prismatic polycarbonate	0-10V Dimming 3%
LGFVI TRT (Triple Tube)	Vertical	6"	8"	Regressed white, Stepped black baffle	Prismatic acrylic, Prismatic polycarbonate	0-10V Dimming 3%
PDGFI TRT (Triple Tube)	Horizontal	n/a	8"	Candéo®	Snow, Sea, Sky, Sand, Ruby	0-10V Dimming 3%
PDTFI TRT (Triple Tube)	Horizontal	6"	8"	Ice™ Turbo	N/A	0-10V Dimming 3%
PDXFI TRT (Triple Tube)	Horizontal	6"	8"	Ice™ Blade and Ice™ Color	Red, Blue, Amber, White, Flush, Round, Angular	0-10V Dimming 3%

Gotham Lighting's expansion of downlighting products for International markets are available in an extensive variety of product families, which offers architects and engineers greater flexibility in specifying high quality downlighting backed by an international industry leader.

ORDERING INFORMATION

Series	Wattage/Lamp	Aperture	Trim Type	Finish	Voltage	Ballast	Options
AFI	1/13DTT	6	AR Clear	(blank) Semi-specular	220	(blank) Electronic ballast	TRW White painted flange
AFWI	1/18DTT	8	PR Pewter	LD Matte-diffuse	240	VDB Vossloh 0-10V dimming ballast	TRBL Black painted flange
	1/26DTT		WTR Wheat				GSKT Foam gasketing
	1/18TRT		CB ^{2,3} Cross baffle				WLP With 3500° K lamp (shipped separately)
	1/26TRT		BC ^{2,3} Black Cone				
	1/32TRT		WR White painted				
	1/42TRT						
	2/18TRT ¹						
	2/26TRT ¹						
	2/32TRT ¹						
	2/42TRT ¹						

Series	Wattage/Lamp	Aperture	Trim Type	Finish	Voltage	Ballast	Options
AFVI	18TRT	6	AR Clear	(blank) Semi-specular	220	(blank) Electronic ballast	TRW White painted flange
AFVWI	26TRT	8	PR Pewter	LD Matte-diffuse	240	VDB Vossloh 0-10V dimming ballast	TRBL Black painted flange
	32TRT		WTR Wheat				GSKT Foam gasketing
	42TRT		WR White painted				WLP With 3500° K lamp (shipped separately)

Series	Wattage/Lamp	Aperture	Trim Type	Lens	Voltage	Ballast	Options
LGFI	1/18TRT	6	RW Regressed white door	T73 Tempered prismatic lens	220	(blank) Electronic ballast	TRDA Tamper-resistant door assembly
	1/26TRT	8	SB Stepped black baffle	FFL Flat Fresnel lens	240	VDB ¹ Vossloh 0-10V dimming ballast	GSKT Foam gasketing
	1/32TRT			FOL Flat opal lens			WLP With 3500° K lamp (shipped separately)
	1/42TRT			PPC Prismatic polycarbonate lens			
	2/18TRT ¹						
	2/26TRT ¹						
	2/32TRT ¹						
	2/42TRT ¹						

Series	Wattage/Lamp	Aperture	Trim Type	Lens	Voltage	Ballast	Options
LGFI	18TRT	6	RW Regressed white door	T73 Tempered prismatic lens	220	(blank) Electronic ballast	TRDA Tamper-resistant door assembly
	26TRT	8	SB Stepped black baffle	FFL Flat Fresnel lens	240	VDB Vossloh 0-10V dimming ballast	GSKT Foam gasketing
	32TRT			FOL Flat opal lens			WLP With 3500° K lamp (shipped separately)
	42TRT			PPC Prismatic polycarbonate lens			

Series	Wattage/Lamp	Aperture	Trim Type	Finish	Color	Voltage	Ballast	Options
PDGFI (Candéo®)	1/18TRT	8	AR Clear	(blank) Semi-specular	WHT Snow	220	(blank) Electronic ballast	GSKT Foam gasketing
	1/26TRT			LD Matte-diffuse	GRN Sea	240	VDB Vossloh 0-10V dimming ballast	WLP With 3500° K lamp (shipped separately)
	1/32TRT				BLU Sky			CAL Clear acrylic lens
	1/42TRT				TAN Sand			
	1/57TRT				RBY Ruby			
	2/18TRT							
	2/26TRT							
	2/32TRT							
	2/42TRT							

Notes

- 1 Not available with 6" aperture.
- 2 Not available with finishes.
- 3 Available with AFI only.

gotham®

GOthAM ARCHITECTURAL DOWNLIGHTING
 A DIVISION OF ACUITY LIGHTING GROUP, INC.
 1400 Lester Rd Conyers, Georgia 30012
 TEL: 800 315 4982 FAX: 770 860 3129
www.gothamlighting.com
 An Acuity Brands Company

INTERNATIONAL SALES – ACUITY BRANDS LIGHTING
 A DIVISION OF ACUITY LIGHTING GROUP, INC.
 One Lithonia Way Conyers, Georgia 30012
 TEL: 770 922 9000
<http://www.abl-internationalsales.com/>
 An Acuity Brands Company