

MYO

MULTIFUNCTIONAL SYSTEMS

SCIENCE POWERS DESIGN



MYO Distributions



Gotham® MYO has up to 3 layers of light compacted in one form factor with unexpected scale, performance and configurability. A family of baffled, multisource luminaires collectively achieves up to 4500lm as small as 1.5" width aperture. MYO offers any combination of general illumination, accent and wall washing—all in one minimalistic form. Luminaire positions feature individually field-changeable optical distributions, dimming control and rotate & tilt for maximum configurability. Enhance a painting with a narrow beam, brighten a reception desk with a downlight, and draw the gaze upward with a pendant. Now that's a triple threat.

Slot Trim (SLT)



Bevel Trim (BVL)



MULTIFUNCTIONAL SYSTEMS

MINIMALISM AT ITS FINEST




1.625" x 1.625"
1-Head Bevel Trim



1.625" x 6.125"
2-Head Bevel Trim



1.625" x 9.625"
3-Head Bevel Trim



3-Head Cylinder
with Bevel Trim



ULTIMATE CONFIGURABILITY

- Form Factors: 1, 2, or 3-Head
- Position Options: Adjustable, Wallwash, Pendant, Downlight
- Baffle Color Options: 11 Choices - 4 metallic, 7 solid colors
- Trim Styles: Slot, Bevel, Bevel Flangeless
- Trim Colors: Black or White
- Accessories: Hex Louver, Snoot, Wallwash, Aperture Lens



Patents pending.
**NO DEAD SPOTS
IN AIMING**

No compromise on tilt and rotation. Adjustables can tilt 40° and rotate 365° without interference from adjacent position or baffle.

UNPARALLELED PERFORMANCE

- Beam Angles: 15° to 45° in 5° increments, 4 elliptical options
- Luminaire Delivered Lumens: 500 – 4500 in a single, minimalistic form
- Each light is controlled together or individually allowing for the ultimate in precision scene creation

Accessories



Wallwash



Hex Louver




Snoot



3-Head
with Slot Trim

The patented Bounding Ray™ baffle gives each light source superior shielding with no compromise on performance and minimizes any flash back at high aiming angles.

mounting methods



Install from Below

Structural Reinforcement Pan

Type IC / Chicago Plenum

flange options



Slot Edge

Bevel Edge

Bevel Edge Flangeless

Bevel Edge Lensing

solid finish baffle colors



Black (BBL)



White (BWH)



Moon Dust (BMD)



Shale Grey (BSG)



Weathered Sandstone (BWS)



Azurite (BAZ)



Razed Ruby (BRR)

metallic baffle colors



Aztec Copper (BAC)



Mercury Pool (BMP)



Iron Ore (BIO)



Atlantic Pearl (BAP)

SCIENCE POWERS DESIGN



A+ Certified solutions from Acuity Brands help you quickly and confidently select and implement lighting systems, for indoor or outdoor applications, that are both compatible and consistent.

For lighting applications, A+ means verified consistent performance, visual appearance and system interoperability of all luminaires and controls within the certified solution. For lighting professionals, it means confidence that all parts of the lighting system will work together and meet common Acuity Brands specifications.

Go to www.acuitybrands.com/solutions/a-certified or contact your local Acuity Brands representative for more information.